

Key: I = IRIS; P = PPRTV; A = ATSDR; C = CalEPA; X = PPRTV Appendix; H = HEAST; J = New Jersey; E = Environmental Criteria and Assessment Office; S = see user guide Section 5; L = see user guide on lead; M = mutagen; V = volatile; F = See Faa #29; c = cancer; * = where n SL < 100x c SL; n = noncancer; m = Concentration may exceed ceiling limit (See User Guide); z = Concentration may exceed GAT (See User Guide); SSL values are based on DAF=1	Toxicity and Chemical-specific Information										Screening Levels										Protection of Ground Water SSLs																																																																																																																																																																																																																																																																																																																																																																																																																	
	SFO (mg/kg-day) ⁻¹	UR (μg/m ³ -day) ⁻¹	RD ₀ (mg/kg-day)	RF ₀ (mg/m ³ -day)	Y ₀ (mg/m ³ -day)	Y ₁ (mg/m ³ -day)	Y ₂ (mg/m ³ -day)	Y ₃ (mg/m ³ -day)	Y ₄ (mg/m ³ -day)	Y ₅ (mg/m ³ -day)	Y ₆ (mg/m ³ -day)	Y ₇ (mg/m ³ -day)	Y ₈ (mg/m ³ -day)	Y ₉ (mg/m ³ -day)	Y ₁₀ (mg/m ³ -day)	Y ₁₁ (mg/m ³ -day)	Y ₁₂ (mg/m ³ -day)	Y ₁₃ (mg/m ³ -day)	Y ₁₄ (mg/m ³ -day)	Y ₁₅ (mg/m ³ -day)	Y ₁₆ (mg/m ³ -day)	Y ₁₇ (mg/m ³ -day)	Y ₁₈ (mg/m ³ -day)	Y ₁₉ (mg/m ³ -day)	Y ₂₀ (mg/m ³ -day)	Y ₂₁ (mg/m ³ -day)	Y ₂₂ (mg/m ³ -day)	Y ₂₃ (mg/m ³ -day)	Y ₂₄ (mg/m ³ -day)	Y ₂₅ (mg/m ³ -day)	Y ₂₆ (mg/m ³ -day)	Y ₂₇ (mg/m ³ -day)	Y ₂₈ (mg/m ³ -day)	Y ₂₉ (mg/m ³ -day)	Y ₃₀ (mg/m ³ -day)	Y ₃₁ (mg/m ³ -day)	Y ₃₂ (mg/m ³ -day)	Y ₃₃ (mg/m ³ -day)	Y ₃₄ (mg/m ³ -day)	Y ₃₅ (mg/m ³ -day)	Y ₃₆ (mg/m ³ -day)	Y ₃₇ (mg/m ³ -day)	Y ₃₈ (mg/m ³ -day)	Y ₃₉ (mg/m ³ -day)	Y ₄₀ (mg/m ³ -day)	Y ₄₁ (mg/m ³ -day)	Y ₄₂ (mg/m ³ -day)	Y ₄₃ (mg/m ³ -day)	Y ₄₄ (mg/m ³ -day)	Y ₄₅ (mg/m ³ -day)	Y ₄₆ (mg/m ³ -day)	Y ₄₇ (mg/m ³ -day)	Y ₄₈ (mg/m ³ -day)	Y ₄₉ (mg/m ³ -day)	Y ₅₀ (mg/m ³ -day)	Y ₅₁ (mg/m ³ -day)	Y ₅₂ (mg/m ³ -day)	Y ₅₃ (mg/m ³ -day)	Y ₅₄ (mg/m ³ -day)	Y ₅₅ (mg/m ³ -day)	Y ₅₆ (mg/m ³ -day)	Y ₅₇ (mg/m ³ -day)	Y ₅₈ (mg/m ³ -day)	Y ₅₉ (mg/m ³ -day)	Y ₆₀ (mg/m ³ -day)	Y ₆₁ (mg/m ³ -day)	Y ₆₂ (mg/m ³ -day)	Y ₆₃ (mg/m ³ -day)	Y ₆₄ (mg/m ³ -day)	Y ₆₅ (mg/m ³ -day)	Y ₆₆ (mg/m ³ -day)	Y ₆₇ (mg/m ³ -day)	Y ₆₈ (mg/m ³ -day)	Y ₆₉ (mg/m ³ -day)	Y ₇₀ (mg/m ³ -day)	Y ₇₁ (mg/m ³ -day)	Y ₇₂ (mg/m ³ -day)	Y ₇₃ (mg/m ³ -day)	Y ₇₄ (mg/m ³ -day)	Y ₇₅ (mg/m ³ -day)	Y ₇₆ (mg/m ³ -day)	Y ₇₇ (mg/m ³ -day)	Y ₇₈ (mg/m ³ -day)	Y ₇₉ (mg/m ³ -day)	Y ₈₀ (mg/m ³ -day)	Y ₈₁ (mg/m ³ -day)	Y ₈₂ (mg/m ³ -day)	Y ₈₃ (mg/m ³ -day)	Y ₈₄ (mg/m ³ -day)	Y ₈₅ (mg/m ³ -day)	Y ₈₆ (mg/m ³ -day)	Y ₈₇ (mg/m ³ -day)	Y ₈₈ (mg/m ³ -day)	Y ₈₉ (mg/m ³ -day)	Y ₉₀ (mg/m ³ -day)	Y ₉₁ (mg/m ³ -day)	Y ₉₂ (mg/m ³ -day)	Y ₉₃ (mg/m ³ -day)	Y ₉₄ (mg/m ³ -day)	Y ₉₅ (mg/m ³ -day)	Y ₉₆ (mg/m ³ -day)	Y ₉₇ (mg/m ³ -day)	Y ₉₈ (mg/m ³ -day)	Y ₉₉ (mg/m ³ -day)	Y ₁₀₀ (mg/m ³ -day)	Y ₁₀₁ (mg/m ³ -day)	Y ₁₀₂ (mg/m ³ -day)	Y ₁₀₃ (mg/m ³ -day)	Y ₁₀₄ (mg/m ³ -day)	Y ₁₀₅ (mg/m ³ -day)	Y ₁₀₆ (mg/m ³ -day)	Y ₁₀₇ (mg/m ³ -day)	Y ₁₀₈ (mg/m ³ -day)	Y ₁₀₉ (mg/m ³ -day)	Y ₁₁₀ (mg/m ³ -day)	Y ₁₁₁ (mg/m ³ -day)	Y ₁₁₂ (mg/m ³ -day)	Y ₁₁₃ (mg/m ³ -day)	Y ₁₁₄ (mg/m ³ -day)	Y ₁₁₅ (mg/m ³ -day)	Y ₁₁₆ (mg/m ³ -day)	Y ₁₁₇ (mg/m ³ -day)	Y ₁₁₈ (mg/m ³ -day)	Y ₁₁₉ (mg/m ³ -day)	Y ₁₂₀ (mg/m ³ -day)	Y ₁₂₁ (mg/m ³ -day)	Y ₁₂₂ (mg/m ³ -day)	Y ₁₂₃ (mg/m ³ -day)	Y ₁₂₄ (mg/m ³ -day)	Y ₁₂₅ (mg/m ³ -day)	Y ₁₂₆ (mg/m ³ -day)	Y ₁₂₇ (mg/m ³ -day)	Y ₁₂₈ (mg/m ³ -day)	Y ₁₂₉ (mg/m ³ -day)	Y ₁₃₀ (mg/m ³ -day)	Y ₁₃₁ (mg/m ³ -day)	Y ₁₃₂ (mg/m ³ -day)	Y ₁₃₃ (mg/m ³ -day)	Y ₁₃₄ (mg/m ³ -day)	Y ₁₃₅ (mg/m ³ -day)	Y ₁₃₆ (mg/m ³ -day)	Y ₁₃₇ (mg/m ³ -day)	Y ₁₃₈ (mg/m ³ -day)	Y ₁₃₉ (mg/m ³ -day)	Y ₁₄₀ (mg/m ³ -day)	Y ₁₄₁ (mg/m ³ -day)	Y ₁₄₂ (mg/m ³ -day)	Y ₁₄₃ (mg/m ³ -day)	Y ₁₄₄ (mg/m ³ -day)	Y ₁₄₅ (mg/m ³ -day)	Y ₁₄₆ (mg/m ³ -day)	Y ₁₄₇ (mg/m ³ -day)	Y ₁₄₈ (mg/m ³ -day)	Y ₁₄₉ (mg/m ³ -day)	Y ₁₅₀ (mg/m ³ -day)	Y ₁₅₁ (mg/m ³ -day)	Y ₁₅₂ (mg/m ³ -day)	Y ₁₅₃ (mg/m ³ -day)	Y ₁₅₄ (mg/m ³ -day)	Y ₁₅₅ (mg/m ³ -day)	Y ₁₅₆ (mg/m ³ -day)	Y ₁₅₇ (mg/m ³ -day)	Y ₁₅₈ (mg/m ³ -day)	Y ₁₅₉ (mg/m ³ -day)	Y ₁₆₀ (mg/m ³ -day)	Y ₁₆₁ (mg/m ³ -day)	Y ₁₆₂ (mg/m ³ -day)	Y ₁₆₃ (mg/m ³ -day)	Y ₁₆₄ (mg/m ³ -day)	Y ₁₆₅ (mg/m ³ -day)	Y ₁₆₆ (mg/m ³ -day)	Y ₁₆₇ (mg/m ³ -day)	Y ₁₆₈ (mg/m ³ -day)	Y ₁₆₉ (mg/m ³ -day)	Y ₁₇₀ (mg/m ³ -day)	Y ₁₇₁ (mg/m ³ -day)	Y ₁₇₂ (mg/m ³ -day)	Y ₁₇₃ (mg/m ³ -day)	Y ₁₇₄ (mg/m ³ -day)	Y ₁₇₅ (mg/m ³ -day)	Y ₁₇₆ (mg/m ³ -day)	Y ₁₇₇ (mg/m ³ -day)	Y ₁₇₈ (mg/m ³ -day)	Y ₁₇₉ (mg/m ³ -day)	Y ₁₈₀ (mg/m ³ -day)	Y ₁₈₁ (mg/m ³ -day)	Y ₁₈₂ (mg/m ³ -day)	Y ₁₈₃ (mg/m ³ -day)	Y ₁₈₄ (mg/m ³ -day)	Y ₁₈₅ (mg/m ³ -day)	Y ₁₈₆ (mg/m ³ -day)	Y ₁₈₇ (mg/m ³ -day)	Y ₁₈₈ (mg/m ³ -day)	Y ₁₈₉ (mg/m ³ -day)	Y ₁₉₀ (mg/m ³ -day)	Y ₁₉₁ (mg/m ³ -day)	Y ₁₉₂ (mg/m ³ -day)	Y ₁₉₃ (mg/m ³ -day)	Y ₁₉₄ (mg/m ³ -day)	Y ₁₉₅ (mg/m ³ -day)	Y ₁₉₆ (mg/m ³ -day)	Y ₁₉₇ (mg/m ³ -day)	Y ₁₉₈ (mg/m ³ -day)	Y ₁₉₉ (mg/m ³ -day)	Y ₂₀₀ (mg/m ³ -day)	Y ₂₀₁ (mg/m ³ -day)	Y ₂₀₂ (mg/m ³ -day)	Y ₂₀₃ (mg/m ³ -day)	Y ₂₀₄ (mg/m ³ -day)	Y ₂₀₅ (mg/m ³ -day)	Y ₂₀₆ (mg/m ³ -day)	Y ₂₀₇ (mg/m ³ -day)	Y ₂₀₈ (mg/m ³ -day)	Y ₂₀₉ (mg/m ³ -day)	Y ₂₁₀ (mg/m ³ -day)	Y ₂₁₁ (mg/m ³ -day)	Y ₂₁₂ (mg/m ³ -day)	Y ₂₁₃ (mg/m ³ -day)	Y ₂₁₄ (mg/m ³ -day)	Y ₂₁₅ (mg/m ³ -day)	Y ₂₁₆ (mg/m ³ -day)	Y ₂₁₇ (mg/m ³ -day)	Y ₂₁₈ (mg/m ³ -day)	Y ₂₁₉ (mg/m ³ -day)	Y ₂₂₀ (mg/m ³ -day)	Y ₂₂₁ (mg/m ³ -day)	Y ₂₂₂ (mg/m ³ -day)	Y ₂₂₃ (mg/m ³ -day)	Y ₂₂₄ (mg/m ³ -day)	Y ₂₂₅ (mg/m ³ -day)	Y ₂₂₆ (mg/m ³ -day)	Y ₂₂₇ (mg/m ³ -day)	Y ₂₂₈ (mg/m ³ -day)	Y ₂₂₉ (mg/m ³ -day)	Y ₂₃₀ (mg/m ³ -day)	Y ₂₃₁ (mg/m ³ -day)	Y ₂₃₂ (mg/m ³ -day)	Y ₂₃₃ (mg/m ³ -day)	Y ₂₃₄ (mg/m ³ -day)	Y ₂₃₅ (mg/m ³ -day)	Y ₂₃₆ (mg/m ³ -day)	Y ₂₃₇ (mg/m ³ -day)	Y ₂₃₈ (mg/m ³ -day)	Y ₂₃₉ (mg/m ³ -day)	Y ₂₄₀ (mg/m ³ -day)	Y ₂₄₁ (mg/m ³ -day)	Y ₂₄₂ (mg/m ³ -day)	Y ₂₄₃ (mg/m ³ -day)	Y ₂₄₄ (mg/m ³ -day)	Y ₂₄₅ (mg/m ³ -day)	Y ₂₄₆ (mg/m ³ -day)	Y ₂₄₇ (mg/m ³ -day)	Y ₂₄₈ (mg/m ³ -day)	Y ₂₄₉ (mg/m ³ -day)	Y ₂₅₀ (mg/m ³ -day)	Y ₂₅₁ (mg/m ³ -day)	Y ₂₅₂ (mg/m ³ -day)	Y ₂₅₃ (mg/m ³ -day)	Y ₂₅₄ (mg/m ³ -day)	Y ₂₅₅ (mg/m ³ -day)	Y ₂₅₆ (mg/m ³ -day)	Y ₂₅₇ (mg/m ³ -day)	Y ₂₅₈ (mg/m ³ -day)	Y ₂₅₉ (mg/m ³ -day)	Y ₂₆₀ (mg/m ³ -day)	Y ₂₆₁ (mg/m ³ -day)	Y ₂₆₂ (mg/m ³ -day)	Y ₂₆₃ (mg/m ³ -day)	Y ₂₆₄ (mg/m ³ -day)	Y ₂₆₅ (mg/m ³ -day)	Y ₂₆₆ (mg/m ³ -day)	Y ₂₆₇ (mg/m ³ -day)	Y ₂₆₈ (mg/m ³ -day)	Y ₂₆₉ (mg/m ³ -day)	Y ₂₇₀ (mg/m ³ -day)	Y ₂₇₁ (mg/m ³ -day)	Y ₂₇₂ (mg/m ³ -day)	Y ₂₇₃ (mg/m ³ -day)	Y ₂₇₄ (mg/m ³ -day)	Y ₂₇₅ (mg/m ³ -day)	Y ₂₇₆ (mg/m ³ -day)	Y ₂₇₇ (mg/m ³ -day)	Y ₂₇₈ (mg/m ³ -day)	Y ₂₇₉ (mg/m ³ -day)	Y ₂₈₀ (mg/m ³ -day)	Y ₂₈₁ (mg/m ³ -day)	Y ₂₈₂ (mg/m ³ -day)	Y ₂₈₃ (mg/m ³ -day)	Y ₂₈₄ (mg/m ³ -day)	Y ₂₈₅ (mg/m ³ -day)	Y ₂₈₆ (mg/m ³ -day)	Y ₂₈₇ (mg/m ³ -day)	Y ₂₈₈ (mg/m ³ -day)	Y ₂₈₉ (mg/m ³ -day)	Y ₂₉₀ (mg/m ³ -day)	Y ₂₉₁ (mg/m ³ -day)	Y ₂₉₂ (mg/m ³ -day)	Y ₂₉₃ (mg/m ³ -day)	Y ₂₉₄ (mg/m ³ -day)	Y ₂₉₅ (mg/m ³ -day)	Y ₂₉₆ (mg/m ³ -day)	Y ₂₉₇ (mg/m ³ -day)	Y ₂₉₈ (mg/m ³ -day)	Y ₂₉₉ (mg/m ³ -day)	Y ₃₀₀ (mg/m ³ -day)	Y ₃₀₁ (mg/m ³ -day)	Y ₃₀₂ (mg/m ³ -day)	Y ₃₀₃ (mg/m ³ -day)	Y ₃₀₄ (mg/m ³ -day)	Y ₃₀₅ (mg/m ³ -day)	Y ₃₀₆ (mg/m ³ -day)	Y ₃₀₇ (mg/m ³ -day)	Y ₃₀₈ (mg/m ³ -day)	Y ₃₀₉ (mg/m ³ -day)	Y ₃₁₀ (mg/m ³ -day)	Y ₃₁₁ (mg/m ³ -day)	Y ₃₁₂ (mg/m ³ -day)	Y ₃₁₃ (mg/m ³ -day)	Y ₃₁₄ (mg/m ³ -day)	Y ₃₁₅ (mg/m ³ -day)	Y ₃₁₆ (mg/m ³ -day)	Y ₃₁₇ (mg/m ³ -day)	Y ₃₁₈ (mg/m ³ -day)	Y ₃₁₉ (mg/m ³ -day)	Y ₃₂₀ (mg/m ³ -day)	Y ₃₂₁ (mg/m ³ -day)	Y ₃₂₂ (mg/m ³ -day)	Y ₃₂₃ (mg/m ³ -day)	Y ₃₂₄ (mg/m ³ -day)	Y ₃₂₅ (mg/m ³ -day)	Y ₃₂₆ (mg/m ³ -day)	Y ₃₂₇ (mg/m ³ -day)	Y ₃₂₈ (mg/m ³ -day)	Y ₃₂₉ (mg/m ³ -day)	Y ₃₃₀ (mg/m ³ -day)	Y ₃₃₁ (mg/m ³ -day)	Y ₃₃₂ (mg/m ³ -day)	Y ₃₃₃ (mg/m ³ -day)	Y ₃₃₄ (mg/m ³ -day)	Y ₃₃₅ (mg/m ³ -day)	Y ₃₃₆ (mg/m ³ -day)	Y ₃₃₇ (mg/m ³ -day)	Y ₃₃₈ (mg/m ³ -day)	Y ₃₃₉ (mg/m ³ -day)	Y ₃₄₀ (mg/m ³ -day)	Y ₃₄₁ (mg/m ³ -day)	Y ₃₄₂ (mg/m ³ -day)	Y ₃₄₃ (mg/m ³ -day)	Y ₃₄₄ (mg/m ³ -day)	Y ₃₄₅ (mg/m ³ -day)	Y ₃₄₆ (mg/m ³ -day)	Y ₃₄₇ (mg/m ³ -day)	Y ₃₄₈ (mg/m ³ -day)	Y ₃₄₉ (mg/m ³ -day)	Y ₃₅₀ (mg/m ³ -day)	Y ₃₅₁ (mg/m ³ -day)	Y ₃₅₂ (mg/m ³ -day)	Y ₃₅₃ (mg/m ³ -day)	Y ₃₅₄ (mg/m ³ -day)	Y ₃₅₅ (mg/m ³ -day)	Y ₃₅₆ (mg/m ³ -day)	Y ₃₅₇ (mg/m ³ -day)	Y ₃₅₈ (mg/m ³ -day)	Y ₃₅₉ (mg/m ³ -day)	Y ₃₆₀ (mg/m ³ -day)	Y ₃₆₁ (mg/m ³ -day)	Y ₃₆₂ (mg/m ³ -day)	Y ₃₆₃ (mg/m ³ -day)	Y ₃₆₄ (mg/m ³ -day)	Y ₃₆₅ (mg/m ³ -day)	Y ₃₆₆ (mg/m ³ -day)	Y ₃₆₇ (mg/m ³ -day)	Y ₃₆₈ (mg/m ³ -day)	Y ₃₆₉ (mg/m ³ -day)	Y ₃₇₀ (mg/m ³ -day)	Y ₃₇₁ (mg/m ³ -day)	Y ₃₇₂ (mg/m ³ -day)	Y ₃₇₃ (mg/m ³ -day)	Y ₃₇₄ (mg/m ³ -day)	Y ₃₇₅ (mg/m ³ -day)	Y ₃₇₆ (mg/m ³ -day)	Y ₃₇₇ (mg/m ³ -day)	Y ₃₇₈ (mg/m ³ -day)	Y ₃₇₉ (mg/m ³ -day)	Y ₃₈₀ (mg/m ³ -day)	Y ₃₈₁ (mg/m ³ -day)	Y ₃₈₂ (mg/m ³ -day)	Y ₃₈₃ (mg/m ³ -day)	Y ₃₈₄ (mg/m ³ -day)	Y ₃₈₅ (mg/m ³ -day)	Y ₃₈₆ (mg/m ³ -day)	Y ₃₈₇ (mg/m ³ -day)	Y ₃₈₈ (mg/m ³ -day)	Y ₃₈₉ (mg/m ³ -day)	Y ₃₉₀ (mg/m ³ -day)	Y ₃₉₁ (mg/m ³ -day)	Y ₃₉₂ (mg/m ³ -day)	Y ₃₉₃ (mg/m ³ -day)	Y ₃₉₄ (mg/m ³ -day)	Y ₃₉₅ (mg/m ³ -day)	Y ₃₉₆ (mg/m ³ -day)	Y ₃₉₇ (mg/m ³ -day)	Y ₃₉₈ (mg/m ³ -day)	Y ₃₉₉ (mg/m ³ -day)	Y ₄₀₀ (mg/m ³ -day)	Y ₄₀₁ (mg/m ³ -day)	Y ₄₀₂ (mg/m ³ -day)	Y ₄₀₃ (mg/m ³ -day)	Y ₄₀₄ (mg/m ³ -day)	Y ₄₀₅ (mg/m ³ -day)	Y ₄₀₆ (mg/m ³ -day)	Y ₄₀₇ (mg/m ³ -day)	Y ₄₀₈ (mg/m ³ -day)	Y ₄₀₉ (mg/m ³ -day)	Y ₄₁₀ (mg/m ³ -day)	Y ₄₁₁ (mg/m ³ -day)	Y ₄₁₂ (mg/m ³ -day)	Y ₄₁₃ (mg/m ³ -day)	Y ₄₁₄ (mg/m ³ -day)	Y ₄₁₅ (mg/m ³ -day)	Y ₄₁₆ (mg/m ³ -day)	Y ₄₁

SFO (mg/kg-day) ¹	K e y	UR e y	H e a l t h	C a t e g o r y	RfD y (mg/kg-day) ¹	C a t e g o r y	GIABS	m u t a g e n	K e y	RfC y (mg/m ³)	C a t e g o r y	C _{soil} (mg/kg)	Contaminant		Screening Levels					Protection of Ground Water SSLs	
													Analyte	CAS No.	Resident Soil (mg/kg)	Industrial Soil (mg/kg)	Resident Air (ug/m ³)	Industrial Air (ug/m ³)	Tapwater (ug/L)	MCL (ug/L)	Risk-based SSL (mg/kg)
7.0E-02	H	1.0E-05	H	4.0E-02	1	0.1						5.5E+02	5.5E+03	n	3.3E+02	n	2.5E+03	2.5E+03			
7.0E-02	H	1.0E-05	H	4.0E-02	1	0.1						5.5E+02	5.5E+03	n	3.3E+02	n	2.5E+03	2.5E+03			
1.1E-00	I	3.3E-04	V	1.1E-03	1	0.1						2.1E+01	2.1E+02	n	1.8E+03	n	1.9E+01	1.9E+01			
1.4E-02	I	2.4E-06	V	2.0E-02	1	0.1						3.5E+01	3.5E+02	n	4.8E+00	n	3.1E-06	3.1E-06			
2.2E-02	I	6.2E-02	V	4.2E+03	1	0.1						7.7E+05	7.7E+06	n	6.2E+05	n	1.5E-08	1.5E-08			
7.0E-01	I	4.0E-03	V	2.4E+03	1	0.1						9.1E+01	9.1E+02	n	9.6E+02	n	7.4E-04	7.4E-04			
2.0E+00	X	6.0E-04	X	6.8E+02	1	0.1						3.0E+02	3.0E+03	n	8.8E+01	n	1.8E-06	1.8E-06			
6.2E-02	I	3.7E-05	V	9.3E+02	1	0.1						2.7E+01	2.7E+02	n	3.3E+01	n	3.2E-05	3.2E-05			
7.9E-03	I	1.1E-06	V	2.0E-02	1	0.1						6.1E+01	6.1E+02	n	8.5E+00	n	2.3E+00	2.3E+00			
3.4E+00	C	3.0E-05	V	1.0E-01	1	0.1						5.4E-02	5.4E-03	n	7.3E+02	n	7.7E-01	7.7E-01			
1.9E-03	P	2.0E-00	P	3.0E+01	1	0.1						2.6E+02	2.6E+03	n	3.5E+01	n	5.1E-01	5.1E-01			
2.0E-04	C	5.7E-08	C	1.0E+00	1	0.1						6.1E+04	6.1E+05	n	3.7E+04	n	8.3E-02	8.3E-02			
1.0E-01	I	1.0E-03	V	1.0E-05	1	0.1						7.0E+01	7.0E+02	n	7.3E+02	n	1.4E+00	1.4E+00			
1.8E-03	I	5.0E-04	V	1.0E-05	1	0.1						3.1E+04	3.1E+05	n	1.8E+04	n	4.5E+00	4.5E+00			
1.5E-01	C	4.3E-05	V	1.0E-01	1	0.1						3.2E+00	3.2E+01	n	4.5E+01	n	7.9E-04	7.9E-04			
2.3E-03	C	6.6E-07	V	1.0E-01	1	0.1						2.1E+02	2.1E+03	n	2.9E+01	n	2.1E-02	2.1E-02			
7.0E-02	I	6.0E-06	V	1.0E-01	1	0.1						3.1E+02	3.1E+03	n	3.7E+03	n	3.3E+00	3.3E+00			
4.0E-01	H	1.5E-02	V	1.0E-01	1	0.1						3.1E+04	3.1E+05	n	1.8E+04	n	1.4E-04	1.4E-04			
3.5E-01	I	1.0E-04	V	7.0E-01	1	0.1						4.9E-02	4.9E-03	n	6.7E+03	n	1.3E-02	1.3E-02			
1.0E+01	I	4.6E-03	V	3.0E-02	1	0.1						1.7E+01	1.7E+02	n	2.6E+01	n	2.4E-04	2.4E-04			
7.0E-02	I	6.0E-06	V	1.0E-01	1	0.1						6.1E+02	6.1E+03	n	7.3E+02	n	1.7E-04	1.7E-04			
1.0E-02	I	1.0E-01	V	9.0E-04	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	8.8E-00	8.8E-00			
4.0E-01	H	1.5E-02	V	1.0E-01	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	7.4E-01	7.4E-01			
3.5E-01	I	1.0E-04	V	7.0E-01	1	0.1						4.9E-02	4.9E-03	n	6.7E+03	n	1.3E-02	1.3E-02			
1.0E+01	I	4.6E-03	V	3.0E-02	1	0.1						1.7E+01	1.7E+02	n	2.6E+01	n	2.4E-04	2.4E-04			
7.0E-02	I	6.0E-06	V	1.0E-01	1	0.1						6.1E+02	6.1E+03	n	7.3E+02	n	1.7E-04	1.7E-04			
1.0E-02	I	1.0E-01	V	9.0E-04	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	8.8E-00	8.8E-00			
4.0E-01	H	1.5E-02	V	1.0E-01	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	7.4E-01	7.4E-01			
3.5E-01	I	1.0E-04	V	7.0E-01	1	0.1						4.9E-02	4.9E-03	n	6.7E+03	n	1.3E-02	1.3E-02			
1.0E+01	I	4.6E-03	V	3.0E-02	1	0.1						1.7E+01	1.7E+02	n	2.6E+01	n	2.4E-04	2.4E-04			
7.0E-02	I	6.0E-06	V	1.0E-01	1	0.1						6.1E+02	6.1E+03	n	7.3E+02	n	1.7E-04	1.7E-04			
1.0E-02	I	1.0E-01	V	9.0E-04	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	8.8E-00	8.8E-00			
4.0E-01	H	1.5E-02	V	1.0E-01	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	7.4E-01	7.4E-01			
3.5E-01	I	1.0E-04	V	7.0E-01	1	0.1						4.9E-02	4.9E-03	n	6.7E+03	n	1.3E-02	1.3E-02			
1.0E+01	I	4.6E-03	V	3.0E-02	1	0.1						1.7E+01	1.7E+02	n	2.6E+01	n	2.4E-04	2.4E-04			
7.0E-02	I	6.0E-06	V	1.0E-01	1	0.1						6.1E+02	6.1E+03	n	7.3E+02	n	1.7E-04	1.7E-04			
1.0E-02	I	1.0E-01	V	9.0E-04	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	8.8E-00	8.8E-00			
4.0E-01	H	1.5E-02	V	1.0E-01	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	7.4E-01	7.4E-01			
3.5E-01	I	1.0E-04	V	7.0E-01	1	0.1						4.9E-02	4.9E-03	n	6.7E+03	n	1.3E-02	1.3E-02			
1.0E+01	I	4.6E-03	V	3.0E-02	1	0.1						1.7E+01	1.7E+02	n	2.6E+01	n	2.4E-04	2.4E-04			
7.0E-02	I	6.0E-06	V	1.0E-01	1	0.1						6.1E+02	6.1E+03	n	7.3E+02	n	1.7E-04	1.7E-04			
1.0E-02	I	1.0E-01	V	9.0E-04	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	8.8E-00	8.8E-00			
4.0E-01	H	1.5E-02	V	1.0E-01	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	7.4E-01	7.4E-01			
3.5E-01	I	1.0E-04	V	7.0E-01	1	0.1						4.9E-02	4.9E-03	n	6.7E+03	n	1.3E-02	1.3E-02			
1.0E+01	I	4.6E-03	V	3.0E-02	1	0.1						1.7E+01	1.7E+02	n	2.6E+01	n	2.4E-04	2.4E-04			
7.0E-02	I	6.0E-06	V	1.0E-01	1	0.1						6.1E+02	6.1E+03	n	7.3E+02	n	1.7E-04	1.7E-04			
1.0E-02	I	1.0E-01	V	9.0E-04	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	8.8E-00	8.8E-00			
4.0E-01	H	1.5E-02	V	1.0E-01	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	7.4E-01	7.4E-01			
3.5E-01	I	1.0E-04	V	7.0E-01	1	0.1						4.9E-02	4.9E-03	n	6.7E+03	n	1.3E-02	1.3E-02			
1.0E+01	I	4.6E-03	V	3.0E-02	1	0.1						1.7E+01	1.7E+02	n	2.6E+01	n	2.4E-04	2.4E-04			
7.0E-02	I	6.0E-06	V	1.0E-01	1	0.1						6.1E+02	6.1E+03	n	7.3E+02	n	1.7E-04	1.7E-04			
1.0E-02	I	1.0E-01	V	9.0E-04	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	8.8E-00	8.8E-00			
4.0E-01	H	1.5E-02	V	1.0E-01	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	7.4E-01	7.4E-01			
3.5E-01	I	1.0E-04	V	7.0E-01	1	0.1						4.9E-02	4.9E-03	n	6.7E+03	n	1.3E-02	1.3E-02			
1.0E+01	I	4.6E-03	V	3.0E-02	1	0.1						1.7E+01	1.7E+02	n	2.6E+01	n	2.4E-04	2.4E-04			
7.0E-02	I	6.0E-06	V	1.0E-01	1	0.1						6.1E+02	6.1E+03	n	7.3E+02	n	1.7E-04	1.7E-04			
1.0E-02	I	1.0E-01	V	9.0E-04	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	8.8E-00	8.8E-00			
4.0E-01	H	1.5E-02	V	1.0E-01	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	7.4E-01	7.4E-01			
3.5E-01	I	1.0E-04	V	7.0E-01	1	0.1						4.9E-02	4.9E-03	n	6.7E+03	n	1.3E-02	1.3E-02			
1.0E+01	I	4.6E-03	V	3.0E-02	1	0.1						1.7E+01	1.7E+02	n	2.6E+01	n	2.4E-04	2.4E-04			
7.0E-02	I	6.0E-06	V	1.0E-01	1	0.1						6.1E+02	6.1E+03	n	7.3E+02	n	1.7E-04	1.7E-04			
1.0E-02	I	1.0E-01	V	9.0E-04	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	8.8E-00	8.8E-00			
4.0E-01	H	1.5E-02	V	1.0E-01	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	7.4E-01	7.4E-01			
3.5E-01	I	1.0E-04	V	7.0E-01	1	0.1						4.9E-02	4.9E-03	n	6.7E+03	n	1.3E-02	1.3E-02			
1.0E+01	I	4.6E-03	V	3.0E-02	1	0.1						1.7E+01	1.7E+02	n	2.6E+01	n	2.4E-04	2.4E-04			
7.0E-02	I	6.0E-06	V	1.0E-01	1	0.1						6.1E+02	6.1E+03	n	7.3E+02	n	1.7E-04	1.7E-04			
1.0E-02	I	1.0E-01	V	9.0E-04	1	0.1						6.1E+03	6.1E+04	n	3.7E+03	n	8.8E-00	8.8E-00			

Regional Screening Level (RSL) Summary Table November 2010

SFO (mg/kg-day)	K e y	IUR (ug/m ³ -day)	R e f e r e n c e l e v e l (mg/kg-day)	R e f e r e n c e l e v e l (ug/m ³ -day)	R e f e r e n c e l e v e l (ug/m ³ -day)	R e f e r e n c e l e v e l (ug/m ³ -day)	R e f e r e n c e l e v e l (ug/m ³ -day)	R e f e r e n c e l e v e l (ug/m ³ -day)	R e f e r e n c e l e v e l (ug/m ³ -day)	R e f e r e n c e l e v e l (ug/m ³ -day)	CAS No.	Screening Levels					Protection of Ground Water SSIs	
												Resident Soil (mg/kg)	Industrial Soil (mg/kg)	Industrial Air (ug/m ³)	Resident Air (ug/m ³)	Industrial Air (ug/m ³)	Tapwater (ug/L)	MCL (ug/L)
2.4E+00	C	6.9E-04	C	8.0E-02	I	V	1	2.6E+04	1.8E+02	107-30-2	Chloromethyl Methyl Ether	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
3.0E-01	P	3.0E-03	P	1.0E-05	X	1	0.1	887-73-3	1.9E+00	100-00-5	Chloronitrobenzene, o-	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
6.3E-03	P	1.0E-03	P	6.0E-04	V	1	0.1	100-00-5	1.9E+00	61E-01	Chloronitrobenzene, p-	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
3.1E-03	C	8.9E-07	C	1.5E-02	I	V	1	76-06-2	1.9E+00	61E-01	Chlorophenol, 2-	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
2.4E+02	C	6.9E-02	C	2.0E-01	I	V	1	105-43-4	1.9E+00	61E-01	Chlorotoluene, o-	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
2.4E+02	C	6.9E-02	C	2.0E-01	I	V	1	54749-90-5	1.9E+00	61E-01	Chlorotoluene, p-	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
3.0E-03	P	3.0E-03	P	1.0E-05	X	1	0.1	2921-88-2	1.9E+00	61E-01	Chlorpyrifos	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
1.0E-02	H	1.0E-02	H	1.0E-02	H	1	0.1	5598-13-0	1.9E+00	61E-01	Chlorpyrifos Methyl	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
5.0E-01	J	8.4E-02	S	3.0E-03	I	M	0.025	64902-72-3	1.9E+00	61E-01	Chlorosulfuron	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
8.0E-04	H	1.0E-01	H	1.0E-01	H	1	0.1	60238-56-4	1.9E+00	61E-01	Chlorothios	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
1.5E+00	I	1.5E+00	I	1.5E+00	I	1	0.013	16065-83-1	1.9E+00	61E-01	Chromium(III), Insoluble Salts	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
9.0E-03	P	3.0E-04	P	6.0E-06	P	M	1	18540-29-9	1.9E+00	61E-01	Chromium(VI)	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
6.2E-04	I	4.0E-02	I	4.0E-02	I	1	0.013	7440-47-3	1.9E+00	61E-01	Cobalt	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
4.0E-02	H	4.0E-02	H	4.0E-02	H	1	0.1	7440-48-4	1.9E+00	61E-01	Cobalt	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
5.0E-02	I	5.0E-02	I	5.0E-02	I	1	0.1	8007-45-2	1.9E+00	61E-01	Coke Oven Emissions	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
5.0E-02	I	5.0E-02	I	5.0E-02	I	1	0.1	7440-50-8	1.9E+00	61E-01	Copper	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
5.0E-02	I	5.0E-02	I	5.0E-02	I	1	0.1	108-39-4	1.9E+00	61E-01	Cresol, m-	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
5.0E-02	I	5.0E-02	I	5.0E-02	I	1	0.1	95-48-7	1.9E+00	61E-01	Cresol, o-	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
1.0E-01	X	1.0E-01	X	1.0E-01	X	1	0.1	106-44-5	1.9E+00	61E-01	Cresol, p-	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
1.0E-01	A	6.0E-01	C	6.0E-01	C	1	0.1	59-50-7	1.9E+00	61E-01	Gresol, p-chloro-m-	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
1.0E-01	A	6.0E-01	C	6.0E-01	C	1	0.1	1319-77-3	1.9E+00	61E-01	Gresol	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
1.0E-01	I	4.0E-01	I	4.0E-01	I	1	0.1	123-73-9	1.9E+00	61E-01	Crtonaldehyde, trans-	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
2.7E-02	C	6.3E-05	C	2.7E-02	C	1	0.1	98-82-8	1.9E+00	61E-01	Cumene	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
2.0E-03	H	2.0E-03	H	2.0E-03	H	1	0.1	135-20-6	1.9E+00	61E-01	Cupferron	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
4.0E-02	I	4.0E-02	I	4.0E-02	I	1	0.1	21725-46-2	1.9E+00	61E-01	Cyanazine	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
4.0E-02	I	4.0E-02	I	4.0E-02	I	1	0.1	592-01-8	1.9E+00	61E-01	Calcium Cyanide	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
5.0E-03	I	5.0E-03	I	5.0E-03	I	1	0.1	544-92-3	1.9E+00	61E-01	Copper Cyanide	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
2.0E-02	I	2.0E-02	I	2.0E-02	I	1	0.1	57-12-5	1.9E+00	61E-01	Cyanide (CN-)	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
4.0E-02	I	4.0E-02	I	4.0E-02	I	1	0.1	460-19-5	1.9E+00	61E-01	Cyanogen	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
9.0E-02	I	9.0E-02	I	9.0E-02	I	1	0.1	506-68-3	1.9E+00	61E-01	Cyanogen Bromide	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
5.0E-02	I	5.0E-02	I	5.0E-02	I	1	0.1	506-77-4	1.9E+00	61E-01	Cyanogen Chloride	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
6.0E-04	I	6.0E-04	I	6.0E-04	I	1	0.1	74-90-8	1.9E+00	61E-01	Hydrogen Cyanide	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
5.0E-02	I	5.0E-02	I	5.0E-02	I	1	0.1	151-50-8	1.9E+00	61E-01	Potassium Cyanide	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
2.0E-01	I	2.0E-01	I	2.0E-01	I	1	0.04	506-61-6	1.9E+00	61E-01	Potassium Silver Cyanide	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
1.0E-01	I	1.0E-01	I	1.0E-01	I	1	0.1	506-64-9	1.9E+00	61E-01	Silver Cyanide	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
4.0E-04	P	2.0E-04	P	4.0E-04	P	1	0.1	143-33-9	1.9E+00	61E-01	Sodium Cyanide	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
5.0E-02	I	5.0E-02	I	5.0E-02	I	1	0.1	463-56-9	1.9E+00	61E-01	Thiocyanate	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
5.0E-02	I	5.0E-02	I	5.0E-02	I	1	0.1	557-21-1	1.9E+00	61E-01	Zinc Cyanide	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
6.0E+00	I	6.0E+00	I	6.0E+00	I	1	0.1	110-82-7	1.9E+00	61E-01	Cyclohexane	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
5.0E+00	I	5.0E+00	I	5.0E+00	I	1	0.1	87-84-3	1.9E+00	61E-01	Cyclohexane, 1,2,3,4,5-pentabromo-6-chloro-	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
2.0E-01	I	2.0E-01	I	2.0E-01	I	1	0.1	108-94-1	1.9E+00	61E-01	Cyclohexanone	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
5.0E-03	I	5.0E-03	I	5.0E-03	I	1	0.1	108-91-8	1.9E+00	61E-01	Cyclohexylamine	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
1.0E-02	I	1.0E-02	I	1.0E-02	I	1	0.1	68085-88-8	1.9E+00	61E-01	Cyhalothrin/sarate	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
7.5E-03	I	7.5E-03	I	7.5E-03	I	1	0.1	52315-07-8	1.9E+00	61E-01	Cypermethrin	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
6.9E-05	C	3.4E-01	C	6.9E-05	C	1	0.1	66215-27-8	1.9E+00	61E-01	Cyromazine	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
3.4E-01	I	3.4E-01	I	3.4E-01	I	1	0.1	72-54-8	1.9E+00	61E-01	DDD	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
3.4E-01	I	3.4E-01	I	3.4E-01	I	1	0.1	72-55-9	1.9E+00	61E-01	DDD, P,P'-	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
5.0E-04	P	2.0E-04	P	5.0E-04	P	1	0.03	50-29-3	1.9E+00	61E-01	DDT	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
3.0E-02	I	3.0E-02	I	3.0E-02	I	1	0.1	1861-32-1	1.9E+00	61E-01	Dachal	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
7.0E-03	I	7.0E-03	I	7.0E-03	I	1	0.1	75-99-0	1.9E+00	61E-01	Dalapon	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
4.0E-05	I	4.0E-05	I	4.0E-05	I	1	0.1	1163-19-5	1.9E+00	61E-01	Decabromodiphenyl ether, 2,2',3,3',4,4',5,5',6,6'	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
6.0E-01	H	6.0E-01	H	6.0E-01	H	1	0.1	8005-48-3	1.9E+00	61E-01	Dimeton	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
7.0E-04	I	7.0E-04	I	7.0E-04	I	1	0.1	108-23-1	1.9E+00	61E-01	Di(2-ethylhexyl)adipate	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
7.0E-04	I	7.0E-04	I	7.0E-04	I	1	0.1	2303-16-4	1.9E+00	61E-01	Diallate	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
7.0E-04	I	7.0E-04	I	7.0E-04	I	1	0.1	339-41-5	1.9E+00	61E-01	Diazinon	91-58-7	3.5E-03	1.8E-02	5.6E-03	1.5E-01	1.5E-01	
2.0E-04	P	2.0E-04	P	2.0E-04	P	1	0.1	96										

Regional Screening Level (RSL) Summary Table November 2010

Toxicity and Chemical-Specific Information										Screening Levels										Protection of Ground Water SSLs		
SFO (mg/kg-day) ⁻¹	IUR (ug/m ³ -day) ⁻¹	IRF _d (mg/kg-day)	RC ₁₀ (mg/m ³ -day)	RC ₅₀ (mg/m ³ -day)	RC ₁₀₀ (mg/m ³ -day)	GLASS	ABS	Car ₁₀ (mg/kg)	Car ₅₀ (mg/kg)	Contaminant	Resident Soil (mg/kg)	Industrial Soil (mg/kg)	Soil (mg/kg)	Resident Air (ug/m ³)	Industrial Air (ug/m ³)	Tapwater (ug/L)	MCL (ug/L)	Risk-based SSL (mg/kg)	MCL-based SSL (mg/kg)			
1.0E-01	7.0E-04	C	1	0.1	0.1	1	0.1	0.1	0.1	Maleic Anhydride	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	7.4E-01		
5.0E-01	1.0E-04	P	1	0.1	0.1	1	0.1	0.1	0.1	Maleic Hydrate	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	3.8E+00		
1.0E-04	3.0E-02	H	1	0.1	0.1	1	0.1	0.1	0.1	Malonitrile	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	7.5E-04		
3.0E-03	5.0E-03	H	1	0.1	0.1	1	0.1	0.1	0.1	Mancozeb	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.5E+00		
1.4E-01	1.0E-04	P	1	0.1	0.1	1	0.1	0.1	0.1	Maneb	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.6E-01		
2.4E-02	9.0E-05	H	1	0.1	0.1	1	0.1	0.1	0.1	Manganese (Diet)	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	5.7E+01		
9.0E-05	3.0E-02	H	1	0.1	0.1	1	0.1	0.1	0.1	Manganese (Non-diet)	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	4.8E-03		
3.0E-04	1.6E-04	C	0.07	1	0.1	1	0.1	0.1	0.1	Mepiquat Chloride	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	3.6E-01		
3.0E-04	1.6E-04	C	0.07	1	0.1	1	0.1	0.1	0.1	Mercury Compounds	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.0E+00		
1.0E-04	3.0E-05	C	1	0.1	0.1	1	0.1	0.1	0.1	Mercuric Chloride (and other Mercury salts)	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	3.0E-02		
8.0E-05	3.0E-05	C	1	0.1	0.1	1	0.1	0.1	0.1	Mercury (elemental)	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.0E-01		
3.0E-05	1.0E-04	P	1	0.1	0.1	1	0.1	0.1	0.1	Methyl Mercury	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	9.1E-04		
3.0E-05	1.0E-04	P	1	0.1	0.1	1	0.1	0.1	0.1	Phenylmercuric Acetate	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.1E-01		
6.0E-02	1.0E-04	H	1	0.1	0.1	1	0.1	0.1	0.1	Merphos	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	5.4E-03		
1.0E-04	3.0E-05	C	1	0.1	0.1	1	0.1	0.1	0.1	Merphos Oxide	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	6.1E-01		
6.0E-02	1.0E-04	H	1	0.1	0.1	1	0.1	0.1	0.1	Metaalyl	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.4E-04		
1.0E-04	3.0E-05	C	1	0.1	0.1	1	0.1	0.1	0.1	Methacrylonitrile	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	3.8E-04		
1.0E-03	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methamidophos	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	8.7E+00		
2.5E-02	5.0E-01	H	1	0.1	0.1	1	0.1	0.1	0.1	Methanol	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	3.7E+00		
5.0E-03	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methidathion	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	3.7E+00		
5.0E-03	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methylol	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.0E-01		
6.0E-02	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methoxy-5-nitroaniline, 2-	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	4.7E-04		
3.0E-03	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methoxychlor	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	9.9E+00		
3.0E-03	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methoxyethanol Acetate, 2-	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.2E+00		
1.0E-00	1.0E-00	H	1	0.1	0.1	1	0.1	0.1	0.1	Methoxyethanol, 2-	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.5E-02		
3.0E-02	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methyl Acrylate	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	7.5E+00		
6.0E-01	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methyl Ethyl Ketone (2-Butanone)	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.3E-01		
8.0E-02	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methyl Isobutyl Ketone (4-methyl-2-pentanone)	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.5E+00		
1.4E+00	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methyl Isocyanate	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	4.5E-01		
2.5E-04	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methyl Parathion	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.5E-02		
6.0E-02	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methyl Phosphonic Acid	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	4.4E-01		
6.0E-03	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methyl Styrene (Mixed isomers)	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	9.7E-02		
3.0E-07	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methyl methanesulfonate	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.4E-04		
3.0E-07	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methyl tert-Butyl Ether (MTBE)	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.8E-03		
8.3E+00	1.3E-05	C	1	0.1	0.1	1	0.1	0.1	0.1	Methyl-5-Nitroaniline, 2-	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.8E-06		
1.3E-01	3.7E-05	C	1	0.1	0.1	1	0.1	0.1	0.1	Methyl-N-Nitro-N-nitrosoguanidine, N-	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.2E-04		
2.2E+01	6.3E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Methylaniline Hydrochloride, 2-	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	5.9E-03		
7.5E-03	4.7E-07	I	1	0.1	0.1	1	0.1	0.1	0.1	Methylnitrosobenzene, 4,4'-	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.2E-03		
1.0E-01	4.3E-04	C	1	0.1	0.1	1	0.1	0.1	0.1	Methylol	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.5E-03		
4.6E-02	1.3E-05	C	1	0.1	0.1	1	0.1	0.1	0.1	Methylol	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	8.1E-03		
1.6E+00	4.6E-04	C	1	0.1	0.1	1	0.1	0.1	0.1	Methylol	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.9E-04		
3.0E+00	3.0E+00	P	1	0.1	0.1	1	0.1	0.1	0.1	Methylol	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	4.1E+00		
1.0E-01	4.3E-04	C	1	0.1	0.1	1	0.1	0.1	0.1	Methylol	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	6.4E+00		
4.5E-06	1.0E-02	X	1	0.1	0.1	1	0.1	0.1	0.1	Methylol	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.8E-01		
3.0E+00	3.0E+00	P	1	0.1	0.1	1	0.1	0.1	0.1	Mineral oils	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	4.3E+03		
1.8E+01	5.1E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Mirex	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.7E-03		
1.0E-01	1.3E-05	C	1	0.1	0.1	1	0.1	0.1	0.1	Molinate	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	4.1E-02		
1.6E+00	4.6E-04	C	1	0.1	0.1	1	0.1	0.1	0.1	Molybdenum	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	3.7E+00		
1.0E-01	1.3E-05	C	1	0.1	0.1	1	0.1	0.1	0.1	Monochloramine	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.7E+02		
3.0E-04	1.0E-03	X	1	0.1	0.1	1	0.1	0.1	0.1	N,N-Diphenyl-1,4-benzenediamine	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.1E+00		
2.0E-03	1.0E-03	C	1	0.1	0.1	1	0.1	0.1	0.1	Naled	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	3.3E-02		
3.0E-02	1.0E-03	X	1	0.1	0.1	1	0.1	0.1	0.1	Naphtha, High Flash Aromatic (HFAN)	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.1E+00		
1.0E-01	1.0E-01	C	1	0.1	0.1	1	0.1	0.1	0.1	Naphthylamine, 2-	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.9E-04		
5.0E-02	1.0E-05	C	0.04	1	0.1	1	0.1	0.1	0.1	Napropamide	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	2.4E+01		
5.0E-02	1.0E-04	C	1	0.1	0.1	1	0.1	0.1	0.1	Nickel Carbonyl	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.8E+03		
2.4E-04	5.0E-02	I	0.04	1	0.1	1	0.1	0.1	0.1	Nickel Oxide	3.1E+03	6.1E+04	n	7.3E-01	n	3.1E+00	n	3.7E+03	n	1.8E+03		
2.4E-04	5.0E-0																					

Toxicity and Chemical-specific Information										Screening Levels										Protection of Ground Water, SSLs							
SFO (mg/kg-day) ¹	k	UR (ug/m ³) ¹	k	IRL (ug/m ³) ¹	RD ₀ (mg/kg-day)	k	RC ₁₀ (mg/m ³) ¹	k	mut- gen	GIABS	ABS	C _{max} (mg/kg)	Analyte	CAS No.	Resident Soil (mg/kg)	key	Industrial Soil (mg/kg)	key	Resident Air (ug/m ³)	key	Industrial Air (ug/m ³)	key	Tapwater (ug/L)	key	MCL (ug/L)	Risk-based SSL (mg/kg)	MCL-based SSL (mg/kg)
3.0E+01	C	8.6E-03	C	7.0E-06	H	1.0E-00	H	2.0E-00	C	1	0.1	0.1	Phthalic Acid, P- Phthalic Anhydride	100-21-0 85-44-9	6.1E+05 1.2E+06	nm	2.1E+01	n	8.8E+01	n	3.7E+04	n	7.3E+04	n	1.3E+01 1.6E+01	1.3E+01 1.6E+01	
7.0E-02	S	2.0E-05	S	7.0E-05	I	1.0E-01	I	0.14		1	0.14	7.6E-02	Aroclor 1221	11674-11-2	3.9E+00	n	2.1E+01	c**	1.2E-01	c	6.1E-01	c	9.6E-01	c**	9.2E-02	1.2E-04	
2.0E+00	S	5.7E-04	S	1.0E-04	X	1.0E-04	X	0.1		1	0.1	7.3E+01	Aroclor 1232	11141-16-5	1.4E-01	c	5.4E-01	c	4.3E-03	c	2.1E-02	c	6.8E-03	c	1.2E-04	1.2E-04	
2.0E+00	S	5.7E-04	S	1.0E-04	X	1.0E-04	X	0.1		1	0.1	7.3E+01	Aroclor 1242	53469-21-9	2.2E-01	c	7.4E-01	c	4.3E-03	c	2.1E-02	c	3.4E-02	c	5.2E-03	8.8E-03	
2.0E+00	S	5.7E-04	S	2.0E-05	I	1.0E-01	I	0.14		1	0.14	7.3E+01	Aroclor 1260	11097-69-1	2.2E-01	c**	7.4E-01	c*	4.3E-03	c	2.1E-02	c	3.4E-02	c*	2.4E-02	2.4E-02	
3.9E+00	E	1.1E-03	E	3.3E-05	E	1.3E-03	E	1	0.14	1	0.14	7.3E+01	Heptachlorobiphenyl, 2,3,4,4',5,5'-(PCB 189)	39655-31-9	1.1E-01	c*	3.8E-01	c*	2.1E-03	c	1.1E-02	c	1.7E-02	c*	1.2E-02	1.2E-02	
3.9E+00	E	1.1E-03	E	3.3E-05	E	1.3E-03	E	1	0.14	1	0.14	7.3E+01	Hexachlorobiphenyl, 2,3,4,4',5,5'-(PCB 187)	52663-72-6	1.1E-01	c*	3.8E-01	c*	2.1E-03	c	1.1E-02	c	1.7E-02	c*	7.2E-03	7.2E-03	
3.9E+00	E	1.1E-03	E	3.3E-05	E	1.3E-03	E	1	0.14	1	0.14	7.3E+01	Hexachlorobiphenyl, 2,3,3',4,4',5,5'-(PCB 157)	69782-90-7	1.1E-01	c*	3.8E-01	c*	2.1E-03	c	1.1E-02	c	1.7E-02	c*	7.4E-03	7.4E-03	
3.9E+00	E	1.1E-03	E	3.3E-05	E	1.3E-03	E	1	0.14	1	0.14	7.3E+01	Hexachlorobiphenyl, 2,3,3',4,4',5,5'-(PCB 156)	38380-08-4	1.1E-01	c*	3.8E-01	c*	2.1E-03	c	1.1E-02	c	1.7E-02	c*	7.4E-03	7.4E-03	
3.9E+00	E	1.1E-03	E	3.3E-05	E	1.3E-03	E	1	0.14	1	0.14	7.3E+01	Hexachlorobiphenyl, 3,3',4,4',5,5'-(PCB 169)	32774-16-6	1.1E-01	c*	3.8E-01	c*	2.1E-03	c	1.1E-02	c	1.7E-02	c*	7.2E-05	7.2E-05	
3.9E+00	E	1.1E-03	E	3.3E-05	E	1.3E-03	E	1	0.14	1	0.14	7.3E+01	Pentachlorobiphenyl, 2,3,4,4',5,5'-(PCB 123)	65510-44-3	1.1E-01	c*	3.8E-01	c*	2.1E-03	c	1.1E-02	c	1.7E-02	c*	4.5E-03	4.5E-03	
3.9E+00	E	1.1E-03	E	3.3E-05	E	1.3E-03	E	1	0.14	1	0.14	7.3E+01	Pentachlorobiphenyl, 2,3,4,4',5,5'-(PCB 118)	31508-00-6	1.1E-01	c*	3.8E-01	c*	2.1E-03	c	1.1E-02	c	1.7E-02	c*	4.4E-03	4.4E-03	
3.9E+00	E	1.1E-03	E	3.3E-05	E	1.3E-03	E	1	0.14	1	0.14	7.3E+01	Pentachlorobiphenyl, 2,3,3',4,4',5,5'-(PCB 105)	32598-34-4	1.1E-01	c*	3.8E-01	c*	2.1E-03	c	1.1E-02	c	1.7E-02	c*	4.5E-03	4.5E-03	
3.9E+00	E	1.1E-03	E	3.3E-05	E	1.3E-03	E	1	0.14	1	0.14	7.3E+01	Pentachlorobiphenyl, 2,3,3',4,4',5,5'-(PCB 114)	74472-37-0	1.1E-01	c*	3.8E-01	c*	2.1E-03	c	1.1E-02	c	1.7E-02	c*	4.5E-03	4.5E-03	
2.0E+00	I	5.7E-04	I	1.0E-04	I	1.0E-04	I	0.14		1	0.14	7.3E+01	Polychlorinated Biphenyls (low risk)	1336-36-3	2.2E-01	c	7.4E-01	c	2.4E-02	c	1.2E-01	c	1.7E-01	c	5.0E-01	2.6E-02	
7.0E-02	I	2.0E-05	I	1.0E-05	I	1.0E-05	I	0.14		1	0.14	7.6E-02	Polychlorinated Biphenyls (lowest risk)	1336-36-3	3.4E-02	c*	1.1E-01	c*	6.4E-04	c	3.2E-03	c	5.2E-03	c*	8.1E-04	8.1E-04	
1.3E+01	E	3.8E-03	E	1.3E-03	E	1.3E-03	E	1	0.14	1	0.14	7.3E+01	Tetrachlorobiphenyl, 3,3',4,4'-(PCB 77)	32598-13-3	1.1E-02	c*	3.8E-02	c*	2.1E-04	c	1.1E-03	c	1.7E-03	c*	2.7E-04	2.7E-04	
3.9E+01	E	1.1E-02	E	3.3E-06	E	1.3E-04	E	1	0.14	1	0.14	7.3E+01	Tetrachlorobiphenyl, 3,4,4',5'-(PCB 81)	70362-50-4	1.1E-02	c*	3.8E-02	c*	2.1E-04	c	1.1E-03	c	1.7E-03	c*	2.7E-04	2.7E-04	
2.5E+02	C	7.1E-02	C	4.0E-02	I	6.0E-04	I	1	0.1	1	0.1	6.0E-04	Polymeric Methylene Diphenyl Dithiocyanate (PMDI)	9016-87-9	8.5E+05	nm	3.6E+06	nm	6.3E-01	n	2.6E+00	n					
7.3E-01	E	1.1E-04	C	3.0E-01	I	1.0E-01	I	0.13		1	0.13	0.13	Acenaphthene	88-32-9	3.4E-03	n	3.3E+04	n	3.4E-03	n	2.2E+03	n	2.2E+03	n	2.2E+01	2.2E+01	
1.2E+00	C	1.1E-04	C	1.1E-04	C	1.1E-04	C	0.13		1	0.13	0.13	Anthracene	120-12-7	1.7E-04	n	1.7E+05	nm	1.7E-04	n	1.7E-04	n	1.1E-04	n	1.1E-04	1.1E-04	
7.3E-01	E	1.1E-04	C	1.1E-04	C	1.1E-04	C	0.13		1	0.13	0.13	Benz[a]anthracene	56-55-3	1.5E-01	c	2.1E+00	c	8.7E-03	c	1.1E-01	c	2.9E-02	c	2.9E-02	2.9E-02	
7.3E-01	E	1.1E-04	C	1.1E-04	C	1.1E-04	C	0.13		1	0.13	0.13	Benz[b]fluoranthene	205-82-3	3.8E-01	c	1.3E+00	c	2.2E-02	c	1.1E-01	c	5.6E-02	c	5.6E-02	5.6E-02	
7.3E-01	E	1.1E-04	C	1.1E-04	C	1.1E-04	C	0.13		1	0.13	0.13	Benz[e]pyrene	50-32-8	1.5E-02	c	2.1E-01	c	8.7E-04	c	1.1E-02	c	2.9E-03	c	2.9E-03	2.9E-03	
7.3E-01	E	1.1E-04	C	1.1E-04	C	1.1E-04	C	0.13		1	0.13	0.13	Benz[k]fluoranthene	205-99-2	1.5E-01	c	2.1E+00	c	8.7E-03	c	1.1E-01	c	2.9E-02	c	2.9E-02	2.9E-02	
7.3E-01	E	1.1E-04	C	1.1E-04	C	1.1E-04	C	0.13		1	0.13	0.13	Benz[a]anthracene	207-08-9	1.5E-01	c	2.1E+00	c	8.7E-03	c	1.1E-01	c	2.9E-02	c	2.9E-02	2.9E-02	
7.3E-01	E	1.1E-04	C	1.1E-04	C	1.1E-04	C	0.13		1	0.13	0.13	Chrysene	218-01-9	1.5E-01	c	2.1E+00	c	8.7E-02	c	1.1E-01	c	2.9E-02	c	2.9E-02	2.9E-02	
1.2E+01	E	1.2E-03	C	1.1E-03	C	1.1E-03	C	0.13		1	0.13	0.13	Dibenz[a,h]anthracene	53-70-3	1.5E-02	c	2.1E-01	c	8.0E-04	c	1.0E-02	c	2.9E-03	c	2.9E-03	2.9E-03	
2.5E+02	C	7.1E-02	C	4.0E-02	I	6.0E-04	I	1	0.1	1	0.1	6.0E-04	Dibenz[a,i]perylene	192-65-4	3.8E-02	c	1.3E-01	c	2.2E-03	c	1.1E-02	c	5.6E-03	c	5.6E-03	5.6E-03	
7.3E-01	E	1.1E-04	C	4.0E-02	I	1.0E-01	I	0.13		1	0.13	0.13	Dimethylbenz[a]anthracene, 7,12-	57-97-6	1.8E-03	c	6.2E-03	c	3.4E-05	c	1.7E-04	c	2.7E-04	c	2.7E-04	2.7E-04	
2.9E-02	P	7.0E-02	A	4.0E-03	I	3.9E+02	I	0.13		1	0.13	3.9E+02	Fluoranthene	206-44-0	2.3E+03	n	2.2E+04	n	2.3E+03	n	1.5E+03	n	1.5E+03	n	1.5E+03	1.5E+03	
1.2E+00	C	1.1E-04	C	4.0E-03	I	3.7E+02	I	0.13		1	0.13	3.7E+02	Fluorene	86-73-7	2.3E+03	n	2.2E+04	n	2.3E+03	n	1.5E+03	n	1.5E+03	n	1.5E+03	1.5E+03	
1.5E-01	I	9.0E-03	H	6.0E-03	H	6.0E-03	H	0.1		1	0.1	6.0E-03	Indeno[1,2,3-cd]pyrene	193-39-5	1.5E-01	c	2.1E+00	c	8.7E-03	c	1.1E-01	c	2.9E-02	c	2.9E-02	2.9E-02	
1.5E-01	I	9.0E-03	H	6.0E-03	H	6.0E-03	H	0.1		1	0.1	6.0E-03	Methylanthracene, 1-	90-12-0	2.2E+01	c	9.9E+01	c	2.2E+01	c	2.2E+01	c	2.3E+00	c	2.3E+00	2.3E+00	
1.5E-01	I	9.0E-03	H	6.0E-03	H	6.0E-03	H	0.1		1	0.1	6.0E-03	Methylnaphthalene, 2-	91-57-6	3.1E+02	n	4.1E+03	ns	4.1E+03	ns	1.5E+02	n	1.5E+02	n	1.5E+02	1.5E+02	
1.5E-01	I	9.0E-03	H	6.0E-03	H	6.0E-03	H	0.1		1	0.1	6.0E-03	Naphthalene	91-20-3	3.6E+00	c*	1.8E-01	c*	7.2E-02	c*	3.6E-01	c*	1.4E-01	c*	1.4E-01	1.4E-01	
1.5E-01	I	9.0E-03	H	6.0E-03	H	6.0E-03	H	0.1		1	0.1	6.0E-03	Nitropyrene, 4-	57835-92-4	3.8E-01	c	1.3E+00	c	2.2E-02	c	1.1E-01	c	5.6E-02	c	5.6E-02	5.6E-02	
1.5E-01	I	9.0E-03	H	6.0E-03	H	6.0E-03	H	0.1		1	0.1	6.0E-03	Pyrene	129-00-0	1.7E+03	n	1.7E+04	n	1.7E+03	n	1.1E+03	n	1.1E+03	n	1.1E+03	1.1E+03	
1.5E-01	I	9.0E-03	H	6.0E-03	H	6.0E-03	H	0.1		1	0.1	6.0E-03	Potassium Perchlorate	7778-74-7	5.5E-01	n	7.2E+02	n	7.2E+02	n	2.6E-01	n	2.6E-01	n	2.6E-01	2.6E-01	
1.5E-01	I	9.0E-03	H	6.0E-03	H	6.0E-03	H	0.1		1	0.1	6.0E-03	Propylalcohol	67747-09-5	3.2E+00	c	1.1E+01	c	1.1E+01	c	4.5E-01	c	4.5E-01	c	4.5E-01	4.5E-01	
1.5E-01	I	9.0E-03	H	6.0E-03	H	6.0E-03	H	0.1		1	0.1	6.0E-03	Propylalcohol	26599-36-0	3.7E+02	n	3.7E+03	n	3.7E+03	n	2.2E+02	n	2.2E+02	n	2.2E+02	2.2E+02	
1.5E-01	I	9.0E-03	H	6.0E-03	H	6.0E-03	H	0.1		1	0.1	6.0E-03	Prometon	1610-18-0	9.2E+02	n	9.2E+03	n	9.2E+03	n	5.5E+02	n	5.5E+02	n	5.5E+02	5.5E+02	
1.5E-01</																											

Regional Screening Level (RSL) Summary Table November 2010

Toxicity and Chemical-specific Information										Screening Levels										Protection of Ground Water SSIs	
SFO (mg/kg-day)	k e IUR (ug/m ³ -day)	k e RD (mg/kg-day)	k e RfC (mg/m ³)	k e RfC (mg/m ³)	k e RfC (mg/m ³)	k e RfC (mg/m ³)	k e RfC (mg/m ³)	k e RfC (mg/m ³)	k e RfC (mg/m ³)	Cas No.	Resident Soil (mg/kg)	Industrial Soil (mg/kg)	Resident Air (ug/m ³)	Industrial Air (ug/m ³)	Tapwater (ug/L)	MCL (ug/L)	Risk-based SSL (mg/kg)	MCL-based SSL (mg/kg)			
2.0E+01	P	2.0E+01	P	2.7E-04	A	V	1	0.1	1.5E+03	57-55-6	1.2E+06	nm	nm	nm	7.3E+05	n	1.5E+02	1.5E+02			
7.0E-01	H	7.0E-01	H	2.0E+00	I	V	1	0.1	1.5E+03	6423-43-4	5.7E+01	n	2.8E-01	n	1.2E+00	n	1.8E-04	1.8E-04			
7.0E-01	H	7.0E-01	H	3.0E-02	I	V	1	0.1	7.8E+04	1569-02-4	4.3E+04	n	4.3E+05	nm	2.6E+04	n	5.2E+00	5.2E+00			
2.4E-01	I	3.7E-06	I	3.0E-02	I	V	1	0.1	7.8E+04	107-98-2	4.3E+04	n	4.3E+05	nm	2.6E+04	n	5.2E+00	5.2E+00			
2.5E-01	I	2.5E-01	I	3.0E-02	I	V	1	0.1	7.8E+04	79-56-9	1.9E+00	c	8.8E+00	c	6.6E-01	c	4.9E-05	4.9E-05			
1.0E-03	I	1.0E-03	I	3.0E-02	I	V	1	0.1	7.8E+04	81335-77-5	1.5E+05	nm	1.5E+05	nm	9.1E+03	n	8.0E+00	8.0E+00			
5.0E-04	I	5.0E-04	I	3.0E-02	I	V	1	0.1	7.8E+04	51650-58-1	1.3E+04	n	1.3E+04	n	9.1E+03	n	5.8E+02	5.8E+02			
3.0E+00	I	3.0E+00	I	3.0E-02	I	V	1	0.1	7.8E+04	110-86-1	1.0E+03	n	1.0E+03	n	3.7E+01	n	1.3E-02	1.3E-02			
3.0E+00	I	3.0E+00	I	3.0E-02	I	V	1	0.1	7.8E+04	13593-03-8	3.1E+01	n	3.1E+02	n	1.8E+01	n	1.6E-01	1.6E-01			
3.0E+00	I	3.0E+00	I	3.0E-02	I	V	1	0.1	7.8E+04	91-22-5	1.6E-01	c	5.7E-01	c	2.2E-02	c	7.4E-05	7.4E-05			
3.0E+00	I	3.0E+00	I	3.0E-02	I	V	1	0.1	7.8E+04	NA	4.3E+07	nm	1.8E+08	nm	1.1E+03	n	6.8E+02	6.8E+02			
3.0E+00	I	3.0E+00	I	3.0E-02	I	V	1	0.1	7.8E+04	10453-86-8	1.8E+03	n	1.8E+04	n	1.1E+03	n	6.8E+02	6.8E+02			
5.0E-02	H	5.0E-02	H	3.0E-02	I	V	1	0.1	7.8E+04	299-84-3	3.1E+03	n	3.1E+04	n	1.8E+03	n	1.7E+01	1.7E+01			
4.0E-03	I	4.0E-03	I	3.0E-02	I	V	1	0.1	7.8E+04	83-79-4	2.4E+02	n	2.4E+03	n	1.5E+02	n	7.6E+01	7.6E+01			
2.2E-01	C	6.3E-05	C	3.0E-02	I	V	1	0.1	7.8E+04	94-59-7	2.2E+00	c	7.8E+00	c	3.9E-02	c	1.9E-01	1.9E-01			
2.5E-02	I	2.5E-02	I	3.0E-02	I	V	1	0.1	7.8E+04	7857-05-0	1.5E+03	n	1.5E+04	n	9.1E+02	n	4.1E+00	4.1E+00			
5.0E-03	I	5.0E-03	I	3.0E-02	I	V	1	0.1	7.8E+04	7783-00-8	3.9E+02	n	5.1E+03	n	1.8E+02	n	9.5E-01	9.5E-01			
5.0E-03	I	5.0E-03	I	3.0E-02	I	V	1	0.1	7.8E+04	7782-49-2	3.9E+02	n	5.1E+03	n	1.8E+02	n	9.5E-01	9.5E-01			
5.0E-03	I	5.0E-03	I	3.0E-02	I	V	1	0.1	7.8E+04	7446-34-6	3.9E+02	n	5.1E+03	n	1.8E+02	n	9.5E-01	9.5E-01			
9.0E-02	I	9.0E-02	I	3.0E-02	I	V	1	0.1	7.8E+04	74051-90-2	5.5E+03	n	5.5E+04	n	3.3E+03	n	2.9E+01	2.9E+01			
5.0E-03	I	5.0E-03	I	3.0E-02	I	V	1	0.1	7.8E+04	7631-86-9	4.3E+06	nm	1.8E+07	nm	3.1E+01	n	1.6E+00	1.6E+00			
5.0E-03	I	5.0E-03	I	3.0E-02	I	V	1	0.1	7.8E+04	7440-02-4	3.9E+02	n	5.1E+03	n	1.8E+02	n	9.5E-01	9.5E-01			
5.0E-03	I	5.0E-03	I	3.0E-02	I	V	1	0.1	7.8E+04	122-34-9	4.0E+00	c	1.4E+01	c	5.6E-01	c	2.8E-04	2.8E-04			
1.3E-02	I	1.3E-02	I	3.0E-02	I	V	1	0.1	7.8E+04	62476-59-9	7.9E+02	n	8.0E+03	n	4.7E+02	n	3.8E+00	3.8E+00			
4.0E-03	I	4.0E-03	I	3.0E-02	I	V	1	0.1	7.8E+04	26528-22-8	4.1E+03	n	4.1E+03	n	1.5E+02	n	1.5E-04	1.5E-04			
3.0E-02	I	3.0E-02	I	3.0E-02	I	V	1	0.1	7.8E+04	148-18-5	1.8E+00	c	6.4E+00	c	2.5E-01	c	7.7E-02	7.7E-02			
5.0E-02	A	1.3E-02	C	3.0E-02	I	V	1	0.1	7.8E+04	7681-49-4	3.9E+03	n	5.1E+04	n	1.8E+03	n	1.2E-01	1.2E-01			
2.0E-05	I	2.0E-05	I	3.0E-02	I	V	1	0.1	7.8E+04	62-74-8	1.2E+00	n	1.2E+01	n	7.3E-01	n	1.5E-04	1.5E-04			
1.0E-03	H	1.0E-03	H	3.0E-02	I	V	1	0.1	7.8E+04	13718-26-8	7.8E+01	n	1.0E+03	n	3.7E+01	n	3.7E-04	3.7E-04			
7.0E-04	I	7.0E-04	I	3.0E-02	I	V	1	0.1	7.8E+04	7601-89-0	5.5E+01	n	7.2E+02	n	2.6E+01	n	1.5E-04	1.5E-04			
3.0E-02	I	3.0E-02	I	3.0E-02	I	V	1	0.1	7.8E+04	961-11-5	2.0E+01	c	7.2E+01	c	2.8E+00	c	8.3E-03	8.3E-03			
6.0E-01	I	6.0E-01	I	3.0E-02	I	V	1	0.1	7.8E+04	7440-24-6	4.7E+04	n	6.1E+05	nm	2.2E+04	n	7.7E-02	7.7E-02			
3.0E-04	I	3.0E-04	I	3.0E-02	I	V	1	0.1	7.8E+04	57-24-9	1.8E+01	n	1.8E+02	n	1.1E+01	n	1.2E-01	1.2E-01			
2.0E-01	I	1.0E+00	I	3.0E-02	I	V	1	0.1	7.8E+04	100-92-5	6.3E+03	ns	3.6E+04	ns	1.0E+03	n	1.8E+00	1.8E+00			
8.0E-04	P	8.0E-04	P	3.0E-02	I	V	1	0.1	7.8E+04	80-07-9	4.9E+01	n	4.9E+02	n	2.9E+01	n	1.7E-01	1.7E-01			
2.5E-02	H	2.5E-02	H	3.0E-02	I	V	1	0.1	7.8E+04	88671-98-0	1.5E+03	n	1.5E+04	n	9.1E+02	n	1.1E+01	1.1E+01			
3.0E-02	H	3.0E-02	H	3.0E-02	I	V	1	0.1	7.8E+04	21564-17-0	1.8E+03	n	1.8E+04	n	1.1E+03	n	7.6E+01	7.6E+01			
7.0E-02	I	7.0E-02	I	3.0E-02	I	V	1	0.1	7.8E+04	34024-18-1	4.3E+03	n	4.3E+04	n	2.6E+03	n	7.3E-01	7.3E-01			
2.0E-02	H	2.0E-02	H	3.0E-02	I	V	1	0.1	7.8E+04	3383-96-8	1.2E+03	n	1.2E+04	n	7.3E+02	n	1.4E+02	1.4E+02			
1.3E-02	I	1.3E-02	I	3.0E-02	I	V	1	0.1	7.8E+04	5902-51-2	7.9E+02	n	8.0E+03	n	4.7E+02	n	1.4E-01	1.4E-01			
2.5E-05	H	2.5E-05	H	3.0E-02	I	V	1	0.1	7.8E+04	13071-79-9	1.5E+00	n	1.5E+01	n	9.1E-01	n	2.0E-03	2.0E-03			
1.0E-03	I	1.0E-03	I	3.0E-02	I	V	1	0.1	7.8E+04	886-50-0	6.1E+01	n	6.2E+02	n	3.7E+01	n	5.2E-02	5.2E-02			
1.0E-04	I	1.0E-04	I	3.0E-02	I	V	1	0.1	7.8E+04	5496-43-1	6.1E+00	n	6.2E+01	n	3.7E+00	n	9.7E-02	9.7E-02			
5.0E-04	I	5.0E-04	I	3.0E-02	I	V	1	0.1	7.8E+04	95-94-3	1.8E+01	n	1.8E+02	n	1.1E+01	n	5.1E-02	5.1E-02			
3.0E-02	I	3.0E-02	I	3.0E-02	I	V	1	0.1	7.8E+04	630-20-6	1.9E+00	c	9.3E+00	c	5.2E-01	c	2.0E-04	2.0E-04			
2.0E-01	I	5.8E-05	C	2.0E-02	I	V	1	0.1	7.8E+04	79-34-5	5.6E-01	c	2.8E+00	c	4.2E-02	c	2.6E-05	2.6E-05			
5.4E-01	C	5.9E-06	C	2.7E-01	A	V	1	0.1	7.8E+04	127-18-4	5.5E-01	c	2.6E+00	c	4.1E-01	c	4.9E-05	4.9E-05			
3.0E-02	I	3.0E-02	I	3.0E-02	I	V	1	0.1	7.8E+04	58-90-2	1.8E+03	n	1.8E+04	n	1.1E+03	n	6.7E+00	6.7E+00			
5.0E-04	I	5.0E-04	I	3.0E-02	I	V	1	0.1	7.8E+04	5216-25-1	3.1E+01	n	3.1E+02	n	1.8E+01	n	1.1E-05	1.1E-05			
4.0E-03	P	4.0E-03	P	3.0E-02	I	V	1	0.1	7.8E+04	811-97-2	1.1E+05	nms	4.6E+05	nms	1.7E+05	n	9.3E+01	9.3E+01			
1.0E-02	I	1.0E-02	I	3.0E-02	I	V	1	0.1	7.8E+04	479-45-8	2.4E+02	n	2.5E+03	n	1.5E+02	n	1.4E+00	1.4E+00			
7.0E-02	X	7.0E-02	X	3.0E-02	I	V	1	0.1	7.8E+04	28249-77-6	6.1E+02	n	6.2E+03	n	3.7E+02	n	1.3E+00	1.3E+00			
3.0E-04	H	3.0E-04	H	3.0E-02	I	V	1	0.1	7.8E+04	111-48-8	5.4E+03	n	6.8E+04	n	2.6E+03	n	3.8E-03	3.8E-03			
8.0E-02	I	8.0E-02	I	3.0E-02	I	V	1	0.1	7.8E+04	39196-18-4	1.8E+01	n	1.8E+02	n	1.1E+01	n	2.5E+00	2.5E+00			
5.0E-03	H	5.0E-03	H	3.0E-02	I	V	1	0.1	7.8E+04	23564-05-8	4.9E+03	n	4.9E+04	n	2.9E+03	n	5.5E+03	5.5E+03			
6.0E-01	H	6.0E-01	H	3.0E-02	I	V	1	0.1	7.8E+04	137-26-8	3.1E+02	n	3.1E+03	n	1.8E+02	n	1.8E+02	1.8E+02			
8.0E-02	I	8.0E-02	I	3.0E-02	I	V	1	0.1	7.8E+04	7440-31-5	4.7E+04	n	6.1E+05	nm	2.2E+04	n	2.5E+00	2.5E+00			
8.0E-02	I	8.0E-02	I	3.0E-02	I	V	1	0.1	7.8E+04	7550-45-0	1.4E+05	nm	6.0E+05	nm	1.0E+01	n	1.6E+00	1.6E+00			
1.1E+00	H	1.1E+00	H	3.0E-02	I	V	1	0.1	7.8E+04	108-98-3	5.0E+03	ns	4.5E+04	ns	5.2E+03	n	1.5E-04	1.5E-04			
1.1E+00	I	1.1E+00	I	3.0E-02	I	V	1	0.1	7.8E+04	106-49-0	2.6E+00	c	9.1E+00	c	3.5E-01	c	9.4E-01	9.4E-01			
1.1E+00	I	1.1E+00	I	3.0E-02																	

Toxicity and Chemical-specific information										Screening Levels										Protection of Ground Water SSLs	
SFO (mg/kg-day) ¹	IR (ug/m ³ -day) ¹	UR (ug/m ³ -day) ¹	RD ₅₀ (mg/kg-day)	Y (mg/m ³)	Y (ug/m ³)	RfC ₁ (mg/m ³)	Y (ug/m ³)	Y (ug/m ³)	Y (ug/m ³)	C _{mt} (mg/kg)	Contaminant	CAS No.	Resident Soil (mg/kg)	Industrial Soil (mg/kg)	Resident Air (ug/m ³)	Industrial Air (ug/m ³)	Tapwater (ug/l)	MCL (ug/l)	Risk-based SSL (mg/kg)	MCL-based SSL (mg/kg)	
3.0E-04	3.0E-04	3.0E-04	3.0E-04	3.0E-04	3.0E-04	3.0E-04	3.0E-04	3.0E-04	3.0E-04	3.0E-04	Analyte		key	key	key	key	key	key	key	key	
											Tri-n-butyltin	688-73-3	1.8E+01	1.8E+02	1.8E+02	1.8E+02	1.1E+01	1.1E+01	2.4E+01	2.4E+01	1.1E+00
											Triallate	2303-17-5	8.0E+03	8.0E+03	8.0E+03	8.0E+03	4.7E+02	4.7E+02	4.7E+02	4.7E+02	1.1E+00
											Trifluoromethane	82097-50-5	6.1E+02	6.1E+02	6.1E+02	6.1E+02	3.7E+02	3.7E+02	3.7E+02	3.7E+02	3.8E+01
											Trifluorobenzene, 1,2,4-	615-54-3	3.1E+03	3.1E+03	3.1E+03	3.1E+03	1.8E+02	1.8E+02	1.8E+02	1.8E+02	2.8E+01
											Triethyl Phosphate	126-73-8	5.3E+01	5.3E+01	5.3E+01	5.3E+01	7.3E+00	7.3E+00	7.3E+00	7.3E+00	3.6E+02
											Triethyltin Compounds	NA	1.8E+01	1.8E+02	1.8E+02	1.8E+02	1.1E+01	1.1E+01	1.1E+01	1.1E+01	5.7E+02
											Triethyltin Oxide	56-35-9	1.8E+01	1.8E+02	1.8E+02	1.8E+02	1.1E+01	1.1E+01	1.1E+01	1.1E+01	5.7E+02
											Trichloro-1,2,2-trifluoroethane, 1,1,2-	76-13-1	4.3E+04	1.8E+05	nms	3.1E+04	n	5.9E+04	n	1.5E+02	
											Trichloroacetic Acid	76-03-9	1.7E+01	5.9E+01	c	5.9E+01	c	2.3E+00	c	6.4E+03	
											Trichloroethane, 1,1,1-	33963-50-2	1.4E+01	5.1E+01	c	5.1E+01	c	2.0E+00	c	1.8E+02	
											Trichloroethane, 1,2,4-	634-93-5	1.4E+01	5.1E+01	c	5.1E+01	c	2.0E+00	c	1.8E+02	
											Trichloroethane, 1,2,3-	87-61-6	4.9E+01	4.9E+01	ns	2.9E+02	ns	2.9E+02	ns	8.7E+02	
											Trichlorobenzene, 1,2,4-	120-82-1	2.2E+01	9.9E+01	c**	2.1E+00	n	8.8E+00	n	6.8E+03	
											Trichlorobenzene, 1,2,3-	71-55-6	8.7E+03	3.8E+04	ns	5.2E+03	n	2.2E+04	n	3.2E+03	
											Trichloroethane, 1,1,1-	70-00-5	1.1E+00	5.3E+00	c	1.5E+01	c	2.4E+01	c	7.0E+02	
											Trichloroethane, 1,1,2-	79-01-6	2.8E+00	1.4E+01	c	1.2E+00	c	6.1E+00	c	5.0E+00	
											Trichloroethylene	75-69-4	7.9E+02	3.8E+03	ns	7.3E+02	n	3.1E+03	n	7.9E+05	
											Trichlorofluoromethane	95-95-4	6.1E+03	6.2E+04	n	3.1E+03	n	1.3E+03	n	8.3E+01	
											Trichlorophenol, 2,4,5-	88-06-2	4.4E+01	1.6E+02	c**	7.8E+01	c	4.0E+00	c	2.3E+02	
											Trichlorophenol, 2,4,6-	95-76-5	6.1E+02	6.2E+03	n	3.7E+02	n	1.5E+01	n	1.4E+01	
											Trichloroacetic Acid, 2,4,5-	95-72-1	4.9E+03	4.9E+03	n	2.9E+02	n	2.9E+02	n	1.6E+01	
											Trichloroethoxypropionic acid, 2,4,5-	598-77-6	3.9E+02	5.1E+03	ns	1.8E+02	n	1.8E+02	n	7.1E+02	
											Trichloropropane, 1,1,2-	96-18-4	5.0E+03	9.5E+02	c	3.1E+01	n	1.3E+00	n	3.1E+07	
											Trichloropropane, 1,2,3-	96-19-5	7.8E+01	3.3E+00	c	3.1E+01	n	1.3E+00	n	3.1E+07	
											Trichloropropene, 1,2,3-	58138-08-2	1.8E+02	1.8E+03	n	1.1E+02	n	1.1E+02	n	7.8E+01	
											Triphane	121-44-8	1.2E+02	5.2E+02	n	7.3E+00	n	3.1E+01	n	4.4E+03	
											Triethylamine	1582-08-8	6.3E+01	2.7E+02	c**	2.7E+02	c**	1.5E+01	n	2.9E+01	
											Trifluralin	512-56-1	1.3E+01	4.7E+01	c	4.7E+01	c	1.8E+00	c	4.0E+04	
											Trimethyl Phosphate	95-65-6	6.2E+01	2.8E+02	ns	7.3E+00	n	1.5E+01	n	2.1E+02	
											Trimethylbenzene, 1,2,4-	108-67-8	7.8E+02	1.0E+04	ns	3.7E+02	n	3.7E+02	n	5.2E+01	
											Trimethylbenzene, 1,3,5-	99-35-4	2.2E+03	2.7E+04	n	2.2E+03	n	1.1E+03	n	3.9E+00	
											Trinitrobenzene, 1,3,5-	99-35-4	2.2E+03	2.7E+04	n	2.2E+03	n	1.1E+03	n	3.9E+00	
											Trinitrotoluene, 2,4,6-	118-96-7	1.9E+01	7.9E+01	c**	2.2E+02	c**	2.2E+02	c**	1.3E+02	
											Triphenylphosphine Oxide	791-28-6	1.2E+03	1.2E+04	n	7.3E+02	n	7.3E+02	n	3.0E+00	
											Tris(1,3-dichloro-2-propyl) Phosphate	13674-87-8	1.2E+03	1.2E+04	n	7.3E+02	n	7.3E+02	n	1.6E+01	
											Tris(2-chloroethyl)phosphate	115-98-8	2.4E+01	8.6E+01	c*	3.4E+00	c*	3.4E+00	c*	3.3E+03	
											Tris(2-ethylhexyl)phosphate	155-40-2	1.5E+02	5.4E+02	c	2.1E+01	c	2.1E+01	c	1.0E+02	
											Uranium	78-42-2	2.3E+02	3.1E+03	n	1.1E+02	n	3.0E+01	n	4.9E+01	
											Urethans	NA	4.9E+01	1.7E+03	n	1.3E+01	n	4.2E+02	n	1.5E+05	
											Vanadium Pentoxide	1314-62-1	4.0E+02	2.0E+03	c**	2.9E+04	c*	1.5E+03	c*	3.3E+02	
											Vanadium Sulfate	36907-42-3	1.6E+03	2.0E+04	n	2.9E+04	n	7.3E+02	n	1.5E+05	
											Vanadium and Compounds	NA	3.9E+02	5.2E+03	n	1.0E+01	n	4.4E+01	n	1.8E+02	
											Vanadium, Metallic	7440-62-2	5.5E+00	7.2E+01	n	1.0E+01	n	2.6E+00	n	2.6E+00	
											Vanolate	1929-77-7	6.1E+01	6.2E+02	n	3.7E+01	n	3.7E+01	n	2.9E+02	
											Vincolopin	50471-44-8	1.5E+03	1.5E+04	n	9.1E+02	n	9.1E+02	n	7.0E+01	
											Vinyl Acetate	108-05-4	9.7E+02	4.1E+03	ns	2.1E+02	n	8.8E+02	n	8.8E+02	
											Vinyl Bromide	593-60-2	1.1E+01	5.6E+01	c*	7.6E+02	c*	3.8E+01	c*	4.4E+05	
											Vinyl Chloride	75-01-4	6.0E+02	1.7E+03	c	1.6E+01	c	2.8E+00	c	5.6E+06	
											Warfarin	81-81-2	1.8E+01	1.8E+02	n	1.1E+01	n	1.1E+01	n	1.2E+02	
											Xylene, Mixture	1330-20-7	6.3E+02	2.7E+03	ns	1.0E+02	n	2.0E+02	n	2.0E+01	
											Xylene, P-	106-42-3	3.4E+03	1.7E+04	ns	7.3E+02	n	3.1E+03	n	1.2E+00	
											Xylene, m-	108-38-3	3.4E+03	1.7E+04	ns	7.3E+02	n	3.1E+03	n	1.2E+00	
											Xylene, o-	95-47-6	3.8E+03	1.9E+04	ns	7.3E+02	n	3.1E+03	n	1.2E+00	
											Zinc (Metallic)	7440-66-6	2.3E+04	3.1E+05	nm	1.1E+04	n	1.1E+04	n	6.8E+02	
											Zinc Phosphide	1314-84-7	2.3E+01	3.1E+02	n	3.1E+02	n	1.1E+01	n	1.1E+01	
											Zincb	12122-67-7	3.1E+03	3.1E+04	n	3.1E+04	n	1.8E+03	n	5.3E+00	